



- NOTES:
- PRECAST CONCRETE MANHOLE SECTIONS AS MANUFACTURED BY FORT MILLER, OR APPROVED EQUAL
 - ALL MANHOLES SHALL BE VACUUM TESTED PRIOR TO BACKFILL, PER SARATOGA COUNTY SEWER DISTRICT #1 STANDARD AND SPECIFICATIONS




PROVIDE SMOOTH CHANNELS IN CONCRETE BASE WITH GRADUAL SIZE TRANSITIONS. BENCH WALLS AND NEW CHANNEL TO BE CONSTRUCTED OF 4000 PSI AIR-ENTRAINED CONCRETE.

- SEE INVERT, CHANNEL AND BENCHWALL DETAIL FOR FURTHER INSTRUCTION



**MANHOLE SECTION BUTYL
DETAIL**



EXISTING SANITARY GRAVITY MANHOLE CUT-IN
NOT TO SCALE

SARATOGA COUNTY SEWER DISTRICT #1
RESERVES THE RIGHT, AT OUR DISCRETION, TO
CHANGE, MODIFY, ADD OR REMOVE PORTIONS
OF THESE DETAIL SPEC'S AT ANY TIME



SARATOGA COUNTY SEWER DISTRICT #1

1002 HUDSON RIVER ROAD, MECHANICVILLE, NEW YORK

P.O. Box 550 Mechanicville, New York 12118
<http://www.saratogacountyny.gov/departments/sewer-district-1/>

Telephone: (518) 664-7396
Fax: (518) 664-6280